L Number	Hits	Search Text	DB	Time stamp
27	1113	399.clas. and (((cover end cap plate)) same (bearing	USPAT;	2004/10/29
		and flange))	US-PGPUB; EPO	13:35
28	8	399/320.ccls. and (((cover end cap plate)) same	USPAT;	2004/10/29
		(bearing and flange))	US-PGPUB;	13:35
			EPO	
-	367	399/330.ccls.	USPAT;	2004/10/26
			US-PGPUB;	09:08
			EPO	
-	57	399/330.ccls. and flange	USPAT;	2004/10/25
			US-PGPUB;	17:08
			EPO	
-	45	399/330.ccls. and flange and circ\$8	USPAT;	2004/10/26 17:11
			US-PGPUB;	
			EPO	
-	4419	(flange with container) and (circular or circle or ball	USPAT;	2004/10/25
		or spher\$8) and (groove knotch indent)	US-PGPUB;	17:21
			EPO	
-	0	((flange with container) and (circular or circle or ball	USPAT;	2004/10/25
		or spher\$8) and (groove knotch indent)) and 399.ccls.	US-PGPUB;	17:21
1			EPO	
-	88	((flange with container) and (circular or circle or ball	USPAT;	2004/10/25
	j	or spher\$8) and (groove knotch indent)) and 399.clas.	US-PGPUB;	17:21
			EPO	
-	45	399/330.ccls. and (flange same (ball circle rotat\$5	USPAT;	2004/10/26
		circular))	US-PGPUB;	09:09
			EPO	
-	0	20010019678.URPN.	USPAT	2004/10/26
		(m.c.,		10:04
-	3	("6085059"   "6282399"   "6345169").PN.	USPAT	2004/10/26
		(H4(40040H   H4700070H   H400F040H   H500007FH		10:07
-	6	("4618240"   "4780078"   "4825242"   "5032875"	USPAT	2004/10/26
	242	"5094613"   "5115119"),PN.	LICDAT	10:24
-	363	399.clas. and (ball near bearing)	USPAT;	2004/10/26
			US-PGPUB; EPO	11:30
_	152	399.clas. and (ball near bearing) same (fuser fix\$5)	USPAT; EPO	2004/10/26
	132	5>>,5id3, did (buil neur bedring) sume (fuser fix\$3)	USFA1, EPU	11:32
_	31	399.clas. and ((ball near bearing) same ((fuser fix\$5)	USPAT; EPO	2004/10/26
	<b>.</b>	and flange))	00,71,670	13:05
_	49	399/320.ccls. and (elastic deform\$6)	USPAT; EPO	2004/10/26
		122. 1 = 100101 and (2100110 adjoining of	30, 2.0	13:19
.	1	399/320.ccls. and (elastic deform\$6) and chamfer\$4	USPAT; EPO	2004/10/26
				13:21
_	1	399/320.ccls. and chamfer\$4	USPAT; EPO	2004/10/26
		·		13:21
-	208	399.clas. and chamfer\$4	USPAT; EPO	2004/10/26
		•		13:21
-	196	399.clas. and chamfer\$4 and (fix\$5 fus\$5)	USPAT; EPO	2004/10/26
				13:21
-	33	399.clas. and chamfer\$4 same (fix\$5 fus\$5)	USPAT; EPO	2004/10/26
				14:37

-	8	("3792227"   "4493982"   "4875068"   "5115119"   "5737664"   "5787319"   "6269230"	USPAT	2004/10/26 13:45
		"6275669").PN.		15.45
-	1175881	399.clas. and chamfer\$4 same spring plate	USPAT; EPO	2004/10/26
				14:37
-	11838	399.clas. and (chamfer\$4 same spring plate)	USPAT; EPO	2004/10/26
	_	300 alag and (alagraph and 4 arms (armin a man alaba))	LICDAT: EDG	14:37
-	0	399.clas. and (chamfer\$4 same (spring near plate))	USPAT; EPO	2004/10/26 14:37
_	413	399.clas. and (spring near plate)	USPAT; EPO	2004/10/26
•				14:38
-	0	399/320.ccls. and (spring near plate)	USPAT; EPO	2004/10/26
	2211			14:40
-	2264	chamfer and (bearing ball round spher\$9 round bend\$6)	JPO; DERWENT	2004/10/26
_	42595	g03g015/20.ipc. chamfer and (bearing ball round	JPO;	14:41 2004/10/26
	42373	spher\$9 round bend\$6)	DERWENT	14:42
-	1	g03g015/20.ipc. and ( chamfer and (bearing ball round	JPO;	2004/10/26
		spher\$9 round bend\$6))	DERWENT	14:42
-	1742	g03g015/20.ipc. and ( (fix\$4 fus\$6) and (bearing ball	JPO;	2004/10/26
		round spher\$9 round bend\$6))	DERWENT	14:43
-	272426	g03g015/20.ipc. and ( (fix\$4 fus\$6) and (bearing ball	JPO;	2004/10/26
	73	round spher\$9 round bend\$6)) flange g03g015/20.ipc. and ((fix\$4 fus\$6) and (bearing ball	DERWENT JPO;	14:43 2004/10/26
	/3	round spher\$9 round bend\$6)) and flange	DERWENT	14:43
-	166	399.clas. and (ball near bearing) same (fuser fix\$5)	USPAT;	2004/10/26
		<b>3</b>	US-PGPUB;	17:00
			EPO	
-	2	399/320.ccls. and (ball near bearing) and flange	USPAT;	2004/10/26
			US-PGPUB; EPO	17:14
_	2	399/320.ccls. and (ball with bearing) and flange	USPAT;	2004/10/26
		,,,,,,	US-PGPUB;	17:14
			EPO	
-	1	399/330.ccls. and (ball with bearing) and flange	USPAT;	2004/10/26
			US-PGPUB;	17:15
_	13	399/330.ccls. and (ball with bearing)	EPO USPAT;	2004/10/26
		Service and (sun with southing)	US-PGPUB;	17:45
			EPO	
-	0	11-002961	JPO	2004/10/26
		00.454700	700	17:46
-	0	09-154733	JPO	2004/10/26 17:46
_	1	"11002961"	JPO	2004/10/26
	_			17:46
-	0	399.clas. and ((heat with reflector) same flange)	USPAT; EPO	2004/10/27
				11:43
<u>-</u>	110 10	399.clas. and (heat with reflector)	USPAT: EPO	2004/10/27 11:51
-	10	399.clas. and ((heat with reflector) same internal)	USPAT; EPO	2004/10/27 13:29
	1	399/330.ccls. and ((heat with reflector) same	USPAT; EPO	2004/10/27
		internal)		13:30
-	1	399/330.ccls. and ((heat\$4 with reflector) same	USPAT; EPO	2004/10/27
	<u></u>	internal)		13:35

-	270	((heat\$4 with reflector) same flange)	USPAT; EPO	2004/10/27 13:39
-	. 0	((heat\$4 with reflector) same flange) and 399.clas.	USPAT; EPO	2004/10/27
-	18	((heat\$4 with reflector) and flange) and 399.clas.	USPAT; EPO	2004/10/27
-	0	((heat\$4 with reflector) and flange) and	JPO	15:09 2004/10/27
		g03g015/20.ipc		14:04
	0	((heat\$4 with reflector) and flange) and g03g015/20.ipc.	JPO	2004/10/27 14:04
-	33	(heat\$4 with reflector) and g03g015/20.ipc.	JPO	2004/10/27
-	0	(heat\$4 with reflector) and g03g015/20.ipc. and flange	JPO	2004/10/27
-	4	347/156.ccls. and flange	USPAT; EPO	2004/10/27
-	54	347/156.ccls. and (end cap brushing flange)	USPAT; EPO	15:10 2004/10/27 15:19
-	333	399/328.ccls. and (end cap brushing flange)	USPAT; EPO	2004/10/27
-	24	399/328.ccls. and ((end cap brushing flange) same groove)	USPAT; EPO	15:20 2004/10/27 15:30
-	4	399/328.ccls. and (circ\$6 with groove)	USPAT; EPO	2004/10/27
-	7	219/216.ccls. and (circ\$6 with groove)	USPAT; EPO	15:32 2004/10/27
-	1	"2000214712"	<b>ЈРО</b>	15:32 2004/10/27
-	0	29/724.ccls. and flange and (container same body)	USPAT; EPO	16:09 2004/10/28
-	195	29/724.ccls.	USPAT; EPO	10:18 2004/10/28 10:19
-	8	29/724.ccls. and (roller same ( receptacle container body))	USPAT; EPO	2004/10/28 10:28
-	5810	(ball with bearing) and (annular near groove)	USPAT; EPO	2004/10/28 10:28
-	4365	(ball with bearing) and (annular with groove) and (container cell body)	USPAT; EPO	2004/10/28
-	977	((ball with bearing) same (annular with groove)) and (container cell body)	USPAT; EPO	2004/10/28 10:33
-	641	((ball with bearing) same (annular with groove) same (flange end cap)) and (container cell body)	USPAT; EPO	2004/10/28 10:34
-	593	(((ball with bearing) same (annular with groove) same (flange end cap)) and (container cell body)) and @py<2003	USPAT; EPO	2004/10/28 10:34
-	o	((((ball with bearing) same (annular with groove) same (flange end cap)) and (container cell body)) and	USPAT; EPO	2004/10/28 10:35
-	18	@py<2003) and 399.clas.  ((((ball with bearing) same (annular with groove) same  (flange end cap)) and (container cell body)) and	USPAT; EPO	2004/10/28 11:37
-	20	@py<2003) and 29.clas. 3941635.URPN.	USPAT	2004/10/28
-	0	6477952.URPN.	USPAT	10:47 2004/10/28
	l			10:59

-	15	("3292535"   "3635158"   "3941635"   "4024816"	USPAT	2004/10/28
		"4287827"   "4313981"   "4317270"   "5123151"		10:59
		"5546173"   "5583600"   "5609534"   "5794091"		
		"5798181"   "5957052"   "6011946").PN.	ļ	
-	0	5239752.URPN.	USPAT	2004/10/28 11:15
-	3	("0967519"   "2633627"   "3882583").PN.	USPAT	2004/10/28 11:16
-	5	4419816.URPN.	USPAT	2004/10/28
				11:25
-	5	4419816.URPN.	USPAT	2004/10/28
				11:26
_	1	((((ball with bearing) same (annular with groove) same	USPAT; EPO	2004/10/28
		(flange end cap)) and (container cell body)) and		11:37
		@py<2003) and 400.clas.		
-	91	((((ball with bearing) same (annular with groove) same	USPAT; EPO	2004/10/28
		(flange end cap)) and (container cell body)) and		13:20
		@py<2003) and 384.clas.		
-	99	((ball with bearing) same (annular with groove) same	USPAT; EPO	2004/10/28
		(flange end cap)) and roller and @py<2003 and		14:39
		384.clas.		
- :	2	4506936.URPN.	USPAT	2004/10/28
				14:35
-	415	((ball with bearing) same (annular with groove) same	USPAT; EPO	2004/10/28
		(flange end cap)) and roller and @py<2003		14:40
-	23	399.clas. and ((spring near plate) same flange)	USPAT;	2004/10/29
			US-PGPUB;	10:07
			EPO	
-	10	399.clas. and ((spring near plate) same (bearing and	USPAT;	2004/10/29
		flange))	US-PGPUB;	11:04
			EPO	
-	1	399.clas. and ((spring adj plate) same (bearing and	USPAT;	2004/10/29 11:10
		flange))	US-PGPUB;	
			EPO	
. <b>-</b>	5	("2541742"   "4218126"   "4826361"   "4943830"	USPAT	2004/10/29
		"4958196").PN.		11:05
-	191	399.clas. and ((spring with (cover end cap plate)) same	USPAT;	2004/10/29
		(bearing and flange))	US-PGPUB;	13:34
			EPO	